EUROPEAN COMMISSION

HORIZON 2020 PROGRAMME - TOPIC H2020-LC-BAT-2020
Sodium-Ion and sodium Metal BAtteries for efficient and sustainable next-generation energy storage

GRANT AGREEMENT No. 963542

SIMBA – Deliverable Report

D2.2 – Optimized hard carbon tested at coin cell level

Deliverable No.	SIMBA D2.2	
Related WP	WP2	
Deliverable Title	Optimized hard carbon tested at coin cell level	
Deliverable Date	2022-08-30	
Deliverable Type	REPORT	
Dissemination level	Confidential – member only (CO)	
Written By	Muhammad Abdelhamid (IFE)	2022-08-23
Checked by	Luciana Gomes-Chagas	2022-08-25
Reviewed by (if applicable)	Maider Zarrabeitia	2022-08-30
Approved by	Ralf Riedel	2022-09-06
Status	Final version	2022-09-07

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 963542.

Publishable summary

The main objective of the task is to develop biomass-derived hard carbon anode materials for Na-ion batteries. First, this is to be achieved by identifying the appropriate bio-precursor. Such precursors should be available at a large scale to ensure scalability of the technology, cost and sustainability. Thus, IFE tested and screened different carbon sources via pyrolysis and structure characterisation as well as electrochemical performances. Second, the selected precursors (lignosulfonate and spruce sawdust) were further optimised either for better electrochemical performance or more efficient synthesis conditions. The optimisation of the hard carbon involved several steps to provide a controlled morphology and microporosity of the final product both of which dictate the electrochemical performance of the material. These optimisation steps include heat pre-treatment of the precursor, pyrolysis, and annealing of the produced hard carbon materials.
Last, the formulation for the anode fabrication is to be optimised. Specifically, the ratio between hard carbon, conductive additives and binder is optimised to ensure that the final electrode meets the specifications. In this subtask, the successful integration of the SIPE electrolyte with the developed hard carbon will be evaluated at an electrode level to ensure the compatibility of the two chemistries. The hard carbon to SIPE ratio will be optimized to ensure chemical and electrochemical stability at the hard carbon/SIPE interface.

Appendix B- Acknowledgement

The author(s) would like to thank the partners in the project for their valuable comments on previous drafts and for performing the review.

Project partners:

#	Partner	Partner Full Name
1	TUDa	TECHNISCHE UNIVERSITAT DARMSTADT
2	UU	UPPSALA UNIVERSITET
3	UBham	THE UNIVERSITY OF BIRMINGHAM
4	WMG	THE UNIVERSITY OF WARWICK
5	KIT	KARLSRUHER INSTITUT FUER TECHNOLOGIE
6	CEA	COMMISSARIAT A L ENERGIE ATOMIQUE ET AUX ENERGIES ALTERNATIVES
7	IFE	INSTITUTT FOR ENERGITEKNIKK
8	SAS	USTAV ANORGANICKEJ CHEMIE SLOVENSKA AKADEMIA VIED (Institute of Inorganic Chemistry, Slovak Academy of Sciences)
9	FHG	FRAUNHOFER GESELLSCHAFT ZUR FOERDERUNG DER ANGEWANDTEN FORSCHUNG E.V.
10	JM	JOHNSON MATTHEY PLC
11	Elkem	ELKEM AS
12	YUN	YUNASKO-UKRAINE LLC
13	SAFT	SAFT
14	Altris	ALTRIS AB
15	Recupyl	TES RECUPYL SAS
	UNR	UNIRESEARCH BV

Appendix C – Disclaimer/Acknowledgement

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 963542. The information and views set out in this publication does not necessarily reflect the official opinion of the European Commission. Neither the European Union institutions and bodies nor any person acting on their behalf, may be held responsible for the use which may be made of the information contained therein.